

Figure 1




Figure 2

Common Application Interface Metamodel




Figure 3




Figure 4




Figure 5




Figure 6




Figure 7





Figure 8








Figure 11

<<enumeration>>	
sigCoding	lengthEncoding
%%two'sComplement	%%fixedLength
%%onesComplement	%%lengthPrefixed
%%signMagnitude	%%nullTerminated
%%zoneSigns	
%%packedSigns	
%%unsignedBinary	
%%unsignedDecimal	
<<enumeration>>	
addUnit	
%%bit	
%%byte	
%%word	
%%doubleWord	
<<enumeration>>	
floatType	
%%Unspecified	
%%IEEEExtendedIntel	
%%IEEEExtendedAIX	
%%IEEEExtendedS390	
%%IEEEExtendedAS400	
%%IEEEExtended	
%%IBM300Hex	
%%IBM400Hex	
<<enumeration>>	
accessor	
%%ReadOnly	
%%WriteOnly	
%%ReadWrite	
%%NoAccess	
<<enumeration>>	
packedDecimalSign	
%%MVS	
%%MVSCustom	
%%INT_CS2_AIX	
<<enumeration>>	
bitModelPad	
%%model6	
%%model24	
%%model61	
%%model32	
%%model64	
%%model128	

Figure 12

FIG. 13




FIGURE 13




FIGURE 14

FIG. 15




FIGURE 15